Early Childhood Factors Associated With Peer Victimization Trajectories From 6 to 17 Years of Age

Sînziana I. Oncioiu, MPH,^a Massimiliano Orri, PhD,^{ab} Michel Boivin, PhD,^e Marie-Claude Geoffroy, PhD,^{bd} Louise Arseneault, PhD,^e Mara Brendgen, PhD,^f Frank Vitaro, PhD,ⁱ Marie C. Navarro, MPH,^a Cédric Galéra, PhD,^{ak} Richard E. Tremblay, PhD,^{gh} Sylvana M. Côté, PhD^{aj}

OBJECTIVES: To describe (1) the developmental trajectories of peer victimization from 6 to 17 years of age and (2) the early childhood behaviors and family characteristics associated with the trajectories.

METHODS: We used data from 1760 children enrolled in the Quebec Longitudinal Study of Child Development, a population-based birth cohort. Participants self-reported peer victimization at ages 6, 7, 8, 10, 12, 13, 15, and 17 years. Participants' behavior and family characteristics were measured repeatedly between ages 5 months and 5 years.

RESULTS: We identified 4 trajectories of peer victimization from 6 to 17 years of age: low (32.9%), moderate-emerging (29.8%), childhood-limited (26.2%), and high-chronic (11.1%). Compared with children in the low peer victimization trajectory, children in the other 3 trajectories were more likely to exhibit externalizing behaviors in early childhood, and those in the high-chronic and moderate-emerging trajectories were more likely to be male. Paternal history of antisocial behavior was associated with moderate-emerging (odds ratio [OR] = 1.54; 95% confidence interval [CI] = 1.09-2.19) and high-chronic (OR = 1.93; 95% CI = 1.25-2.99) relative to low peer victimization. Living in a nonintact family in early childhood was associated with childhood-limited (OR = 1.48; 95% CI = 1.11-1.97) and high-chronic (OR = 1.59; 95% CI = 1.09-2.31) relative to low peer victimization.

CONCLUSIONS: Early childhood externalizing behaviors and family vulnerabilities were associated with the development of peer victimization. Some children entered the cascade of persistent peer victimization at the beginning of primary school. Support to these children and their families early in life should be an important component of peer victimization preventive interventions.

^aBordeaux Population Health Research Centre, French National Institute of Health and Medical Research U1219, University of Bordeaux, Bordeaux, France; ^bMcGill Group for Suicide Studies, Douglas Mental Health University Institute and ^dDepartment of Educational and Counselling Psychology, McGill University, Montréal, Canada; ^eSchool of Psychology, Université Laval, Québec, Canada; ^eInstitute of Psychiatry, Psychology and Neuroscience, King's College London, London, United Kingdom; ^fDepartment of Psychology, Université du Québec à Montréal, Montréal, Canada; ^aDepartments of Pediatrics, Psychology, and ^JSocial and Preventive Medicine, ⁱSchool of Psycho-Education, University of Montreal, Montréal, Canada; ^kCentre Hospitalier Charles Perrens, Bordeaux, France; and ^hSchool of Public Health, Physiotherapy and Sports Science, University College Dublin, Dublin, Ireland WHAT'S KNOWN ON THIS SUBJECT: Peer victimization affects children worldwide. Few studies captured its evolution over critical periods in the development of peer relationships. Moreover, little is known about preexisting vulnerabilities that may forecast the emergence of different developmental patterns of peer victimization.

WHAT THIS STUDY ADDS: The development of peer victimization was heterogeneous. For some children, peer victimization lasted throughout their school career; for others, it was limited to the first years of primary school. Early childhood behaviors and family vulnerabilities were associated with these developmental patterns.

To cite: Oncioiu SI, Orri M, Boivin M, et al. Early Childhood Factors Associated With Peer Victimization Trajectories From 6 to 17 Years of Age. *Pediatrics.* 2020;145(5): e20192654 Peer victimization is a public health concern worldwide.¹ It is defined as harm caused by peers acting outside of the norms of appropriate conduct.² Adolescents who have been exposed to persistent peer victimization are at increased risk of mental health problems, including anxiety, depression, and suicidality.³⁻⁵ However, peer victimization is a multifaceted experience and relatively few studies have investigated its development over the life course. The identification of early behavioral and familial factors that may forecast the emergence of different patterns of peer victimization should provide information to better tailor preventive interventions.

Peer victimization is characterized by substantial individual variability in its timing, duration, and intensity. A variety of patterns of stability and change have been documented across different periods from early childhood to adolescence.^{3,6-19} The bulk of these studies revealed that an important proportion of children (between 25% and 60%) experience moderate-level peer victimization with varying developmental patterns (ie, increasing, decreasing trajectories).^{3,6,7,11,13,15,16} Most of these studies were focused on the transition from primary to secondary school.^{3,11,13,15,16} However, there is evidence that the vicious cycle of peer victimization and adjustment problems may already be established in the first years of school²⁰⁻²³ and possibly during preschool years.^{7,24} To our knowledge, only 2 studies described the individual variations of peer victimization from the beginning of formal education throughout the high school years, capturing the critical periods in the development of peer relationships (ie, beginning of and subsequent transitions across the cycle of mandatory education).^{3,16}

School-based antibullying interventions have shown significant but modest effects in reducing

victimization.²⁵ Universal preventive interventions generally do not address preexisting vulnerabilities that may increase the likelihood of being a target of bullying. Behavior problems before school entry (ie, before 6 years of age) may condition subsequent peer victimization experiences. For instance, externalizing behavior problems in early childhood has been found to be one of the most important correlates of subsequent peer victimization.^{7,8,20,21,24} The role of early childhood internalizing behavior is less understood, with studies revealing either an increased likelihood of^{8,26} or no association with^{7,21,24} subsequent chronic peer victimization. Moreover, studies revealed that children exposed to parents' psychopathology,^{27,28} negative parenting, 7,29,30 or living in a nonintact family¹³ have an increased likelihood of being peer victimized, whereas those who benefit from warm, supportive parenting are protected against peer victimization.^{13,30} Despite the unique role that mothers and fathers play in children's psychosocial development, 31-33 the evidence on their differential contribution to the experience of peer victimization³⁴ is limited.

Our investigation builds on the work of Barker et al⁷ and Geoffroy et al³ on the development of peer victimization in the Quebec Longitudinal Study of Child Development (QLSCD) by extending the follow-up period across adolescence. It complements previous work with a comprehensive analysis of the contribution of early childhood behavior, maternal and paternal mental health, parenting, family structure, and socioeconomic disadvantage to distinct peer victimization developmental patterns from 6 to 17 years of age.

Thus, in this article, we aim to (1) describe the developmental trajectories of peer victimization from 6 to 17 years of age and (2) identify

the early childhood behavior and family characteristics associated with the identified trajectories of peer victimization.

METHOD

Participants

This study is based on the OLSCD. a population-based birth cohort that tracks the development of 2120 children born in the Canadian province of Quebec in 1997-1998 and followed-up until 2015. The sample was drawn through a stratified sampling procedure on the basis of living area and birth rate from the Quebec Master Birth Registry. All mothers giving birth after 24 weeks' and not later than 42 weeks' gestation who spoke English or French were eligible. Detailed information on the QLSCD can be found elsewhere.35 The QLSCD protocol was approved by the Institut de la statistique du Québec and the Research Centre of the Sainte-Justine University Hospital ethics committees. Written informed consent was obtained from all participating families at each assessment. The person most knowledgeable about the child (the mother in 98% of the cases) provided data about the child, family, and broader social context at 5 months, 1¹/₂, 2¹/₂, 3¹/₂, 4¹/₂, and 5 years after birth through home interviews. The fathers (biological fathers who had contact with the child at least once a month or mother's partner living in the household) also provided information through a selfadministrated questionnaire.

The analytical sample in this study consists of 1760 children followed-up from 5 months to 17 years of age who reported their peer victimization experience at least once between 6 and 17 years: 862 boys (49.0%) and 898 girls (51.0%). More than half of the participants (n = 1038; 59.0%) provided information about peer victimization on >6 waves (ie, 7 or 8 out of 8 assessments) (Supplemental Table 4). The characteristics of the participants included in this study are presented in Table 1.

Self-reported Peer Victimization From 6 to 17 Years of Age

When the children were aged 6, 7, 8, 10, 12, 13, 15, and 17 years, information on peer victimization was collected by using 6 items of a modified version of the Selfreported Peer Victimization Scale (Supplemental Information).³⁶ Participants reported how often they experienced physical (ie, "pushed, hit or kicked"), verbal (ie, "called names, insulted, said mean things to you," "teased you in a mean way/made fun of you"), relational victimization (ie, "did not let you be part of his or her group," "said bad things about you to other children"), and property attacks (ie, "forced you to give something that belonged to you/ made you pay them or give them something so they would leave you alone") (response range: 0 = never, 1 = once or twice, 2 = more often). The wording of the items was adapted to reflect changes in the experience of victimization that could occur with age (eg, the item "did not let me play with his or her group" used when participants were aged 6-12 years was changed to "did not let me be part of his or her group" when children were aged 13 years or older). At each wave, if participants answered at least 4 out of the 6 questions of the Self-reported Peer Victimization Scale, we calculated the mean of the items (range 0-2) and considered the data missing otherwise. The mean score at each wave was rescaled (multiplied by 5) to range from 0 to 10 (with a higher score indicating a higher level of peer victimization). Cronbach's α ranged from 0.74 to 0.81 across ages.

In Table 2, we provide the description of the measures used to assess family

sociodemographic characteristics, parental mental health, parent-child relationship, and children's behavior. A comprehensive list of the items used to derive the early childhood measures is available (Supplemental Table 5).

Missing Data and Attrition

The excluded participants were more likely to be male, be of non-Canadian origins, come from socioeconomically disadvantaged families, have a mother with higher depressive symptoms, and have overprotective parents compared with participants retained in the study (Supplemental Table 6). Therefore, these variables were used to derive weights that were applied in all regression models by using the inverse probability weighting procedure. The proportion of missing data was <3.5% for the majority of the variables with the exception of father psychopathology (13.4%) and father-child relationship (20%). To avoid a loss of participants due to listwise deletion, the multivariate models were estimated by using multiple imputation by chained equations (n = 50 data set).

Statistical Analyses

Developmental Trajectories of Self-reported Peer Victimization

We used group-based trajectory modeling 43,44 to estimate the developmental trajectories of peer victimization from 6 to 17 years of age. Group-based trajectory modeling, a special case of finite mixture models, identifies clusters of individuals who follow similar developmental trajectories. The bestfitting model was identified by estimating models with 2 to 8 latent clusters with quadratic age terms and comparing them by using the Bayesian Information Criterion (BIC) as the primary fit index. As recommended, the size of the clusters was also considered to select the best model (no solution with small group sizes, ie, <5% of the sample, was

selected). We assessed the quality of the classification identified by the model using the average posterior probability of cluster membership (good if >0.70 for each trajectory).

Association Between Early Childhood Factors and Self-reported Peer Victimization Trajectories

In a first step, we used univariate multinomial logistic regression models to estimate the association between trajectory membership and each early childhood variable separately. In a second step, to estimate the unique contribution of each variable over and above the effect of the other variables, we ran multivariate multinomial logistic regression models. We entered in the multivariate model all variables that revealed a significant association at P < .05 with any of the trajectories relative to the reference trajectory in the univariate models. The trajectory with the lowest levels of peer victimization was used as reference category in all the multinomial logistic regression models.

Post Hoc Analyses

We performed 2 separate subgroup analyses to compare the high-chronic trajectory to the moderate-emerging and childhood-limited trajectories.

RESULTS

Trajectories of Self-reported Peer Victimization From 6 to 17 Years of Age

We identified 4 distinct developmental trajectories of selfreported peer victimization from 6 to 17 years of age (Fig 1): (1) low peer victimization across the entire period (n = 579; 32.9%); (2) moderate-emerging peer victimization, characterized by steady levels of victimization from age 6 to 12 years and the second highest level of victimization across adolescence (n = 525; 29.8%); (3) childhood-limited peer victimization, characterized by a relatively high

	Overall			Trajector	ries of Pee	Trajectories of Peer Victimization From 6 to 17 y of Age	3 to 17 y	/ of Age			
		Low $(n = 579)$	Moderate-Emerging $(n = 525)$	ng (<i>n</i> = 1	525)	Childhood-Limited ($n = 461$)	ed (<i>n</i> =	461)	High-Chronic ($n =$	-	95)
Mean	n (SD) or n (%)	Mean (SD) or n (%) Mean (SD) or n (%)	Mean (SD) or <i>n</i> (%)	OR	95% CI	Mean (SD) or <i>n</i> (%)	OR	95% CI	Mean (SD) or n (%)	0R	95% CI
Boy ^a 8	862 (49.0)	243 (42.0)	275 (52.4)	1.52 1.2	1.20-1.93**	228 (49.5)	1.36	1.07-1.75*	116 (59.5)	2.04	1.46-2.84**
Externalizing behavior ^b 2	2.91 (1.21)	2.62 (1.15)	2.98 (1.24)	1.31 1.	1.18-1.45**	3.01 (1.17)	1.33	1.19–1.48**	3.37 (1.22)	1.67	1.46-1.91**
-	1.22 (0.93)	1.21 (0.95)	1.25 (0.95)	1.05 0.	0.92-1.19	1.18 (0.92)	0.97	0.85-1.11	1.24 (0.85)	1.05	0.89-1.25
Socioeconomic status ^b 3	3.99 (0.98)	3.92 (0.99)	3.97 (1.01)	1.06 0.	0.94-1.20	4.05 (0.95)	1.15	1.01-1.30*	4.14 (0.91)	1.27	1.07-1.51**
Nonintact family ^a 5	576 (32.8)	160 (27.70)	163 (31.2)	1.17 0.	0.90-1.52	171 (37.1)	1.56	1.20-2.03**	82 (42.30)	1.93	1.38-2.71**
Maternal history of antisocial behavior ^a 3	325 (19.0)	97 (17.20)	99 (19.40)	1.17 0.	0.86-1.59	88 (19.70)	1.2	0.87-1.65	41 (21.90)	1.37	0.91-2.05
Paternal history of antisocial behavior ^a 2	272 (17.8)	68 (13.10)	93 (20.60)	1.73 1.2	1.22–2.44**	64 (16.20)	1.26	0.87-1.83	47 (28.70)	2.62	1.71-4.02**
Maternal depressive symptoms ^b	1.39 (1.15)	1.25 (1.07)	1.49 (1.26)	1.20 1.(.08-1.34**	1.43 (1.09)	1.15	1.03-1.29*	1.49 (1.18)	1.22	1.07-1.41**
Paternal depressive symptoms ^b	1.06 (1.00)	0.99 (0.97)	1.11 (1.00)	1.14 1.	.00-1.30	1.01 (0.93)	1.02	0.89-1.17	1.27 (1.20)	1.3	1.11-1.53**
Mother positive parenting ^b	6.52 (0.89)	6.56 (0.87)	6.52 (0.90)	0.94 0.).82-1.08	6.48 (0.91)	0.91	0.79-1.05	6.54 (0.91)	0.98	0.82-1.18
Father positive parenting ^b	6.08 (1.18)	6.16 (1.19)	6.00 (1.18)	0.89 0.	.79–0.99*	6.07 (1.19)	0.94	0.84-1.06	6.02 (1.15)	0.92	0.78-1.07
Mother coercive parenting ^b	2.94 (0.99)	2.77 (0.94)	2.98 (1.05)	1.28 1.7	.13–1.45**	3.02 (0.94)	1.31	1.15–1.49**	3.19 (1.00)	1.56	1.32-1.83**
Father coercive parenting ^b	2.56 (1.03)	2.43 (1.00)	2.58 (1.03)	1.18 1.	.03—1.34	2.62 (1.02)	1.21	1.05—1.38**	2.76 (1.12)	1.38	1.16—1.66**

Ř 5 peer Reference category: low

P < .05.

Continuous variables. Binary variables. ** P < .01.

level of victimization at age 6, followed by a progressive sharp decline from age 6 to 17 years, and virtually no victimization at age 17 (*n* = 461; 26.2%); and (4) high-chronic peer victimization, characterized by persistently higher levels of victimization relative to the other groups despite a decline from age 6 to 17 years (n = 195; 11.1%). The fit indices of the models with 2 to 8 trajectories that were compared to determine the optimal solution are presented in Supplemental Table 7.

Early Childhood Factors Associated With the Trajectories of Self-reported **Peer Victimization**

Univariate analyses revealed that early childhood behavior and family characteristics were associated with peer victimization development (Table 1). Similar to the univariate analyses, in multivariate analyses, we showed that compared with the children following a low trajectory of peer victimization, children in the 3 other trajectories were more likely to exhibit higher levels of externalizing symptoms. Additionally, children following a moderate-emerging or a high-chronic trajectory of peer victimization, compared with those in the low victimization trajectory, were more likely to be boys and have a father with a history of antisocial behavior. Finally, children following a childhood-limited or high-chronic peer victimization trajectory were more likely to come from nonintact families (Table 3).

The associations for maternal and paternal depression and parenting as well as for socioeconomic disadvantage observed in the univariate models were not statistically significant when accounting for children's behaviors and the other family characteristics in multivariate models (Table 3). The level of internalizing behavior in early childhood and the maternal history of antisocial behavior were similar for

TABLE 2 Description of the Measurement Instruments for Early Childhood Behaviors and Family Characteristics (5 Months to 5 Years)

Characteristics	Child Age at Measurement	Range ^a	Internal Consistency	Example of Items	Instrument and References
Familial and parental factors					
Socioeconomic disadvantage	5 mo, 1½, 2½, 4½, 5 y	0—8	_	Standardized aggregate index of 5 items relating to annual gross income, parental education level, and occupational prestige	Index computed by Statistics Canada ³⁷
Nonintact family status	5 mo, 1½, 2½, 3½, 4½, 5 y	_	—	1 = the child was living in a single-parent family or blended family (ie, living with stepparent[s] and/or siblings) at minimum 1 time point; 0 = otherwise	—
History of antisocial behavior	5 mo	_	_	5 items (mother), 4 items (father) (eg, "trouble with the police or arrested," "get into fights that you had started"); derived measure: 1 = engaged in 2 or more behaviors during adolescence, 0 = otherwise	Modified from NIMH- DIS ³⁸
Depressive symptoms	Mother: 5 mo, 1½ y; father: 5 mo	0–10	0.79–0.81 (mother) 0.74 (father)	12 items (eg,"did not feel like eating," "felt lonely," "had crying spells") (0 = less 1 d/wk to 3 = 5-7 d/wk)	Short version of CES-D scale ³⁹
Positive parenting	Mother: 2½, 3½, 4½, 5 y; father: 3½, 4½, 5 y	0–10	0.61–0.63 (mother) 0.71–0.76 (father)	5-9 items (eg, "calmly discuss the problem," "play sports activities or games together," "praise the child") (0 = never to 5 = several times/d)	Parenting Practices Scale ⁴⁰
Coercive parenting	Mother: 2½, 3½, 4½, 5 y; father: 3½, 4½, 5 y	0–10	0.67–0.72 (mother) 0.71–0.73 (father)	5-8 items (eg, "use physical punishment," "tell the child is not as good as others") (0 = never to 5 = several times/d)	
Child-level factors (reported by mother)					
Externalizing behavior	1½, 2½, 3½, 4½, 5 y	0–10	0.77–0.84	15–17 items (eg, "hits, bites, kicks," "encourages children to pick on a particular child," "cannot sit still, is restless or hyperactive") (0 = never to 2 = often)	Preschool Behavior Questionnaire ^{41,42}
Internalizing behavior	1½, 2½, 3½, 4½, 5 y	0–10	0.48-0.67	5 items (eg, "is nervous," "is high-strung or tense," "is too fearful or anxious" (0 = never to 2 = often)	

For variables measured repeatedly, we derived a measure across early childhood for those participants who had information available at minimally 2 waves. For the continuous variables, we calculated the mean of the items of each scale. The mean at each wave was rescaled to range from 0 to 10 by multiplying it with a constant (except for socioeconomic disadvantage, index computed by Statistics Canada). CES-D, Center for Epidemiologic Studies Depression; NIMH-DIS, National Institute of Mental Health Diagnostic Interview Schedule; —, not applicable.

^a The higher the score, the more severe the symptoms or the socioeconomic disadvantage.

children across the 4 peer victimization trajectories (Table 1).

Post Hoc Analyses

Children in the high-chronic relative to the moderate-emerging and childhood-limited trajectories were more likely to exhibit higher level of externalizing symptoms in early childhood, controlling for other behaviors and family factors. Additionally, children in the highchronic trajectory were more likely to be boys and have a father with a history of antisocial behavior compared with those in the childhood-limited trajectory and come from a nonintact family relative to those in the moderate-emerging trajectory (Supplemental Table 8).

DISCUSSION

This was the largest study to describe the developmental trajectories of peer victimization from 6 to 17 years of age and document their associations with early childhood behavior and family characteristics.

We identified 4 distinct peer victimization trajectories: low, moderate-emerging, childhoodlimited, and high-chronic. Although the majority of children reported some level of peer victimization at school entry, all groups except the moderate-emerging group reported declining levels in middle childhood. The pattern of severity and stability of peer victimization, the relative size of the low and childhood-limited peer victimization groups, and the higher proportion of boys in the trajectories characterized by persistent peer victimization were findings similar to those described by Ladd et al¹⁶ over the same ages (ie, 6-17 years). Thus, the striking similarities between these 2 studies done in distinct North American cultural settings suggest that they both captured general patterns of perceived peer victimization development throughout the cycle of mandatory education. Moreover, these 2 studies indicate that middle childhood is a period of substantial differentiation in the development of peer victimization. That is, more than half of the children exhibited a change in the rank ordering of the peer victimization group. The childhoodlimited group reported the second



FIGURE 1

Trajectories of self-reported peer victimization from 6 to 17 years of age. Dashed lines represent trajectories for the observed values, and solid lines represent trajectories as estimated by our model. To model the slope of the trajectories, we used linear terms for the low trajectory and quadratic terms for the other trajectories. Fit indices of the model include the following: BIC: $-21\,168.9$; entropy: median 0.75, range 0.66 to 0.80 (ie, quality of the classification; adequate if >0.70); and odds of correct classification: median 7.3, range 4.7 to 31.7 (ie, the model classifies the participants 7.3 times better than the classification by chance; adequate if >5.0).

highest level of victimization at 6 years of age and had, together with the low group, the lowest levels at 17 years of age. In contrast, the moderate-emerging group reported

the second lowest levels of victimization at 6 years of age and the second highest level after the chronic group at 17 years of age. Our findings from 12 years of follow-up across childhood and adolescence strengthen the evidence about the existence of primary school–limited and late-onset peer victimization, which was theoretically described⁸ or empirically derived^{6,11} in short-term longitudinal studies.

We showed that paternal history of antisocial behavior was associated with persistent peer victimization (ie, high-chronic and moderate-emerging trajectories) when controlling for children's sex, behavior, maternal factors, parenting, socioeconomic disadvantage, and family structure. This was the first study reporting on the relationship between the fathers' mental health and the development of peer victimization in the offspring. However, our findings are in line with evidence from studies that revealed that paternal negativism³⁴ and hostility⁴⁵ are associated with peer victimization and bullying, respectively, and with studies on the association between the father's psychopathology and the offspring's behavioral problems.31,46 Furthermore, in line with Brendgen et al,¹³ we showed that living in a nonintact family was associated with high levels of peer victimization at school entry (ie, high-chronic and childhood-limited trajectories). The father's antisocial behavior distinguished between children in these 2 trajectories. That is, children

TABLE 3 Association Between Early Childhood Factors and Trajectories of Peer Victimization in Multivariate Multinomial Models (*N* = 1760)

Early Childhood Factors		Trajecto	ries of Peer Vict	imization From 6 to 17	y of Age		
	Moder	ate-Emerging	Child	Childhood-Limited		High-Chronic	
	OR	95% CI	OR	95% CI	OR	95% CI	
Воу	1.41	1.10-1.80**	1.24	0.96-1.59	1.73	1.23-2.44**	
Externalizing behavior	1.20	1.06-1.35**	1.19	1.05-1.35**	1.41	1.21-1.66**	
Socioeconomic disadvantage	0.94	0.82-1.08	1.01	0.88-1.16	1.01	0.83-1.22	
Nonintact family	1.07	0.80-1.42	1.48	1.11-1.97**	1.59	1.09-2.31*	
Paternal history of antisocial behavior	1.54	1.09-2.19*	1.10	0.75-1.60	1.93	1.25-2.99**	
Maternal depressive symptoms	1.12	0.99-1.25	1.04	0.92-1.18	1.01	0.87-1.18	
Paternal depressive symptoms	1.05	0.91-1.20	0.96	0.83-1.11	1.14	0.96-1.36	
Father positive parenting	0.92	0.82-1.04	0.97	0.86-1.10	1.00	0.84-1.18	
Mother coercive parenting	1.06	0.90-1.24	1.11	0.94-1.31	1.15	0.93-1.42	
Father coercive parenting	1.05	0.90-1.22	1.10	0.95-1.29	1.09	0.89-1.33	

Reference category: low peer victimization trajectory. Cl, confidence interval; OR, odds ratio.

* P < .05

** P < .01.

who escaped high levels of peer victimization in the first years of primary school (ie, childhood-limited trajectory) had a father with better mental health than those who continued to be highly victimized during adolescence (ie, high-chronic trajectory). These findings strengthen the importance of paternal mental health for high-chronic peer victimization.

A genetically informative study has revealed that a father's antisocial behavior may influence children's behavioral problems through both genetic and environmental pathways.⁴⁷ Previous twin studies have indicated that genetic factors accounted for an important part of the variation in persistent peer difficulties.^{8,22} Moreover, a polygenic risk score study revealed that high genetic risk for mental health problems was associated with increased exposure to bullying.48 Future studies are needed to clarify the association between a father's mental health and the offspring's persistent peer victimization (eg, genetic, environmental mechanisms).

Consistent with previous research,^{7,8,21,24} we found that high externalizing behavior problems during the preschool years were important factors for the development of peer victimization. Children who exhibited the highest levels of externalizing behavior during early childhood endured the highest levels of peer victimization from 6 to 17 years of age. These findings, taken together with the overrepresentation of boys and fathers with a history of antisocial behavior in the trajectories characterized by persistent peer victimization, echo the literature on the profile of bully-victims.²⁷ Similar to other studies among young children,^{7,21,24} we found that children in the different trajectories of peer victimization had similar internalizing symptoms before school entry. These findings differ from those among older children and adolescents⁴⁹ probably because internalizing symptoms become more negatively perceived by peers and associated with peer victimization as children grow older.⁹

The findings from this study need to be interpreted in the context of its limitations. First, we did not assess the power imbalance between the bully and the victim, which is part of the definition of bullying. However, students' definition of bullying tends to focus on negative actions by peers and fails to include power imbalance.^{50,51} Second, we did not differentiate between children who are only victimized and those who are simultaneously bullies and victims. Thus, the experiences of peer victimization described in this study also capture the experience of bullyvictims. Third, we measured peer victimization using self-reports. Despite the advantages of this assessment method in long-term studies (see Ladd et al¹⁶), selfreported peer victimization is potentially biased by the self-system, which may be less differentiated and related to actual experiences in younger children.^{22,52} Fourth, 83% of the baseline sample was available for the 17-year follow-up. To minimize attrition bias, analyses were conducted by using weights accounting for the probability of being retained in the study at followup. To minimize the loss of participants in multivariate models due to listwise deletion, we used imputations. Results with and without weights and imputations were fairly similar, strengthening the internal validity of the study.

These limitations notwithstanding, this is the largest and one of the longest population-based studies to have applied a longitudinal personcentered approach to analyze repeated measures of peer victimization. The external validity of our results is reinforced by the reproduction of the peer victimization trajectories between 6 and 17 years of age described by Ladd et al¹⁶ despite the use of a different statistical method. Moreover, this study is unique through the description of both maternal and paternal factors associated to peer victimization development.

CONCLUSIONS

In this study, we identified 4 different developmental patterns of peer victimization across the entire cycle of mandatory education, primarily distinguished by their development during primary school. Some children experienced persistent peer victimization already in the first years in primary school. Early childhood externalizing behaviors and family vulnerabilities were associated with the development of peer victimization. To prevent persistent peer victimization, children who are victimized should be offered targeted interventions that address these individual and family vulnerabilities early in their school careers.

ACKNOWLEDGMENTS

We thank the children and parents of the QLSCD and the participating teachers and schools for their continued commitment to the study, the Institut de la statistique du Québec, and the Research Unit on Children's Psychosocial Maladjustment for their support in data collection and management.

ABBREVIATIONS

BIC: Bayesian Information Criterion QLSCD: Quebec Longitudinal Study of Child Development

Downloaded from http://publications.aap.org/pediatrics/article-pdf/145/5/e20192654/1078865/peds_20192654.pdf by guest on 13 December 202-

Ms Oncioiu conceptualized and designed the study, conducted the data analysis, and drafted and finalized the manuscript; Dr Orri supervised, conceptualized, and designed the study, participated in the data analyses, and reviewed and revised the manuscript for important intellectual content; Drs Côté and Boivin supervised, conceptualized, and designed the study, designed the data collection instruments, obtained funding, coordinated and supervised data collection, and reviewed and revised the manuscript for important intellectual content; Drs Gôté and Boivin supervised, and reviewed and revised the manuscript for important intellectual content; Drs Goeffroy, Arseneault, Brendgen, and Galéra and Ms Navarro reviewed and revised the manuscript for important intellectual content; Drs Tremblay and Vitaro designed the data collection instruments, obtained funding, coordinated and supervised data collection, and reviewed and revised the manuscript for important intellectual content; and all authors approved the final manuscript as submitted and agree to be accountable for all aspects of the work.

DOI: https://doi.org/10.1542/peds.2019-2654

Accepted for publication Feb 19, 2020

Address correspondence to Sylvana M. Côté, Centre Hospitalier Universitaire Sainte-Justine Research Center, University of Montreal, 3175 Chemin de la Côte-Sainte-Catherine, Montreal, QC, Canada H3T 1C5. E-mail: sylvana.cote.1@umontreal.ca

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2020 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The authors have indicated they have no financial relationships relevant to this article to disclose.

FUNDING: Supported by the Quebec Government Ministry of Health, Canadian Institute of Health Research; Quebec's Health Research Fund; Canadian Social Sciences and Humanities Research Council; Research Center of the Sainte-Justine University Hospital, University of Montreal; and University of Bordeaux via the ORIGIN chair awarded to Dr Côté by the Initiative of Excellence of Bordeaux University. Dr Orri received a grant from the European Union's Horizon 2020 research and innovation program (793396). Dr Boivin is supported by the Canada Research Chairs Program. Dr Arseneault is the Mental Health Leadership Fellow for the UK Economic and Social Research Council.

POTENTIAL CONFLICT OF INTEREST: The authors have indicated they have no potential conflicts of interest to disclose.

COMPANION PAPER: A companion to this article can be found online at www.pediatrics.org/cgi/doi/10.1542/peds.2020-0154.

REFERENCES

- Modecki KL, Minchin J, Harbaugh AG, Guerra NG, Runions KC. Bullying prevalence across contexts: a metaanalysis measuring cyber and traditional bullying. J Adolesc Health. 2014;55(5):602–611
- Finkelhor D, Turner HA, Hamby S. Let's prevent peer victimization, not just bullying. *Child Abuse Negl.* 2012;36(4): 271–274
- Geoffroy M-C, Boivin M, Arseneault L, et al. Childhood trajectories of peer victimization and prediction of mental health outcomes in midadolescence: a longitudinal population-based study. *CMAJ.* 2018;190(2):E37–E43
- Schoeler T, Duncan L, Cecil CM, Ploubidis GB, Pingault JB. Quasiexperimental evidence on short- and long-term consequences of bullying victimization: a meta-analysis. *Psychol Bull.* 2018;144(12):1229–1246
- Arseneault L. Annual research review: the persistent and pervasive impact of being bullied in childhood and adolescence: implications for policy and practice. *J Child Psychol Psychiatry*. 2018;59(4):405–421

- Biggs BK, Vernberg E, Little TD, Dill EJ, Fonagy P, Twemlow SW. Peer victimization trajectories and their association with children's affect in late elementary school. *Int J Behav Dev.* 2010;34(2):136–146
- Barker ED, Boivin M, Brendgen M, et al. Predictive validity and early predictors of peer-victimization trajectories in preschool. *Arch Gen Psychiatry*. 2008; 65(10):1185–1192
- Bowes L, Maughan B, Ball H, et al. Chronic bullying victimization across school transitions: the role of genetic and environmental influences. *Dev Psychopathol.* 2013;25(2):333–346
- Boivin M, Petitclerc A, Feng B, Barker ED. The developmental trajectories of peer victimization in middle to late childhood and the changing nature of their behavioral correlates. *Merrill-Palmer Q.* 2010;56(3):231–260
- Kochenderfer-Ladd B, Wardrop JL. Chronicity and instability of children's peer victimization experiences as predictors of loneliness and social satisfaction trajectories. *Child Dev.* 2001;72(1):134–151

- Goldbaum S, Craig WM, Pepler D, Connolly J. Developmental trajectories of victimization. *J Appl Sch Psychol.* 2003;19(2):139–156
- Barker ED, Arseneault L, Brendgen M, Fontaine N, Maughan B. Joint development of bullying and victimization in adolescence: relations to delinquency and self-harm. *J Am Acad Child Adolesc Psychiatry*. 2008; 47(9):1030–1038
- Brendgen M, Girard A, Vitaro F, Dionne G, Boivin M. Personal and familial predictors of peer victimization trajectories from primary to secondary school. *Dev Psychol.* 2016;52(7): 1103–1114
- Haltigan JD, Vaillancourt T. Joint trajectories of bullying and peer victimization across elementary and middle school and associations with symptoms of psychopathology. *Dev Psychol.* 2014;50(11):2426–2436
- Sumter SR, Baumgartner SE, Valkenburg PM, Peter J. Developmental trajectories of peer victimization: offline and online experiences during adolescence. J Adolesc Health. 2012; 50(6):607–613

- Ladd GW, Ettekal I, Kochenderfer-Ladd B. Peer victimization trajectories from kindergarten through high school: differential pathways for children's school engagement and achievement? *J Educ Psychol.* 2017;109(6):826–841
- 17. Scholte RHJ, Engels RCME, Overbeek G, de Kemp RAT, Haselager GJT. Stability in bullying and victimization and its association with social adjustment in childhood and adolescence. *J Abnorm Child Psychol.* 2007;35(2):217–228
- Schäfer M, Korn S, Brodbeck FC, Wolke D, Schulz H. Bullying roles in changing contexts: the stability of victim and bully roles from primary to secondary school. *Int J Behav Dev.* 2005;29(4): 323–335
- Paul JJ, Cillessen AHN. Dynamics of peer victimization in early adolescence. *J Appl Sch Psychol.* 2003;19(2):25–43
- Boivin M, Brendgen M, Vitaro F, et al. Evidence of gene-environment correlation for peer difficulties: disruptive behaviors predict early peer relation difficulties in school through genetic effects. *Dev Psychopathol.* 2013; 25(1):79–92
- Ladd GW, Troop-Gordon W. The role of chronic peer difficulties in the development of children's psychological adjustment problems. *Child Dev.* 2003; 74(5):1344–1367
- Boivin M, Brendgen M, Vitaro F, et al. Strong genetic contribution to peer relationship difficulties at school entry: findings from a longitudinal twin study. *Child Dev.* 2013;84(3):1098–1114
- Snyder J, Brooker M, Patrick MR, Snyder A, Schrepferman L, Stoolmiller M. Observed peer victimization during early elementary school: continuity, growth, and relation to risk for child antisocial and depressive behavior. *Child Dev.* 2003;74(6):1881–1898
- 24. Hanish LD, Eisenberg N, Fabes RA, Spinrad TL, Ryan P, Schmidt S. The expression and regulation of negative emotions: risk factors for young children's peer victimization. *Dev Psychopathol.* 2004;16(2):335–353
- Gaffney H, Ttofi MM, Farrington DP. Evaluating the effectiveness of schoolbullying prevention programs: an updated meta-analytical review. Aggress Violent Behav. 2019;45:111–133

- 26. Arseneault L, Walsh E, Trzesniewski K, Newcombe R, Caspi A, Moffitt TE. Bullying victimization uniquely contributes to adjustment problems in young children: a nationally representative cohort study. *Pediatrics*. 2006;118(1):130–138
- Veenstra R, Lindenberg S, Oldehinkel AJ, De Winter AF, Verhulst FC, Ormel J. Bullying and victimization in elementary schools: a comparison of bullies, victims, bully/victims, and uninvolved preadolescents. *Dev Psychol.* 2005; 41(4):672–682
- Beran TN, Violato C. A model of childhood perceived peer harassment: analyses of the Canadian National Longitudinal Survey of Children and Youth Data. J Psychol. 2004;138(2): 129–147
- 29. Zych I, Ortega-Ruiz R, Del Rey R. Systematic review of theoretical studies on bullying and cyberbullying: facts, knowledge, prevention, and intervention. *Aggress Violent Behav.* 2015;23:1–21
- Lereya ST, Samara M, Wolke D. Parenting behavior and the risk of becoming a victim and a bully/victim: a meta-analysis study. *Child Abuse Negl.* 2013;37(12):1091–1108
- Ramchandani P, Psychogiou L. Paternal psychiatric disorders and children's psychosocial development. *Lancet*. 2009;374(9690):646–653
- Verhoeven M, Bögels SM, van der Bruggen CC. Unique roles of mothering and fathering in child anxiety; moderation by child's age and gender. *J Child Fam Stud.* 2012;21(2):331–343
- 33. Belsky J, Hsieh KH, Crnic K. Mothering, fathering, and infant negativity as antecedents of boys' externalizing problems and inhibition at age 3 years: differential susceptibility to rearing experience? *Dev Psychopathol.* 1998; 10(2):301–319
- Olweus D. Victimization by Peers: Antecedents and Long-Term Outcomes. In: Rubin KH, Asendorf JB, eds. Social Withdrawal, Inhibition, and Shyness in Childhood. Hillsdale, NJ: Erlbaum; 1993: 315–341
- Jetté M. Survey Description and Methodology – Part I – Logistics and Longitudinal Data Collections. Québec,

Canada: Institut de la statistique du Québec; 2002

- 36. Ladd GW, Kochenderfer-Ladd B. Identifying victims of peer aggression from early to middle childhood: analysis of cross-informant data for concordance, estimation of relational adjustment, prevalence of victimization, and characteristics of identified victims. *Psychol Assess.* 2002;14(1): 74–96
- Willms JD, Shields M. A Measure of Socioeconomic Status for the National Longitudinal Study of Children. Fredericton, Canada: Canadian Research Institute for Social Policy; 1996
- Zoccolillo M. Parents' health and social adjustment, part II - social adjustment in longitudinal study of child development in Québec (ÉLDEQ 1998–2002). vol 1. 2000. Available at: https://www.jesuisjeserai.stat.gouv.qc. ca/publications/baby_no9.pdf. Accessed April 5, 2019
- Radloff LS. The CES-D Scale: a selfreport depression scale for research in the general population. *Appl Psychol Meas.* 1977;1(3):385–401
- 40. Strayhorn JM, Weidman CS. A Parent Practices Scale and its relation to parent and child mental health. *J Am Acad Child Adolesc Psychiatry*. 1988; 27(5):613–618
- Tremblay RE, Desmarais-Gervais L, Gagnon C, Charlebois P. The Preschool Behaviour Questionnaire: stability of its factor structure between cultures, sexes, ages and socioeconomic classes. *Int J Behav Dev.* 1987;10(4):467–484
- Offord DR, Boyle MH, Racine Y. Ontario Child Health Study: correlates of disorder. J Am Acad Child Adolesc Psychiatry. 1989;28(6):856–860
- Nagin DS. Group-Based Modeling of Development. Cambridge, United Kingdom: Harvard University Press; 2005
- Nagin DS. Analyzing developmental trajectories: a semiparametric, groupbased approach. *Psychol Methods*. 1999;4(2):139–157
- 45. de Vries EE, Verlinden M, Rijlaarsdam J, et al. Like father, like child: early life family adversity and children's bullying behaviors in elementary school.

J Abnorm Child Psychol. 2018;46(7): 1481–1496

- 46. Connell AM, Goodman SH. The association between psychopathology in fathers versus mothers and children's internalizing and externalizing behavior problems: a meta-analysis. *Psychol Bull.* 2002; 128(5):746–773
- 47. Jaffee SR, Moffitt TE, Caspi A, Taylor A. Life with (or without) father: the benefits of living with two biological parents depend on the father's antisocial behavior. *Child Dev.* 2003; 74(1):109–126
- Schoeler T, Choi SW, Dudbridge F, et al. Multi-polygenic score approach to identifying individual vulnerabilities associated with the risk of exposure to bullying. *JAMA Psychiatry*. 2019;76(7): 730–738
- Reijntjes A, Kamphuis JH, Prinzie P, Telch MJ. Peer victimization and internalizing problems in children: a meta-analysis of longitudinal studies. *Child Abuse Negl.* 2010;34(4):244–252
- 50. Vaillancourt T, McDougall P, Hymel S, et al. Bullying: are researchers and children/youth talking about the same

thing? Int J Behav Dev. 2008;32(6): 486–495

- Green JG, Felix ED, Sharkey JD, Furlong MJ, Kras JE. Identifying bully victims: definitional versus behavioral approaches. *Psychol Assess*. 2013;25(2): 651–657
- 52. Boivin M, Vitaro F, Gagnon C. A reassessment of the Self-Perception Profile for Children: factor structure, reliability, and convergent validity of a French version among second through sixth grade children. *Int J Behav Dev.* 1992;15(2):275–290